

Page 1/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.11.2022 Version number 1 Revision: 27.10.2022

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
 - · Trade name: Signum universal bond II
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 - · Application of the substance / the mixture Dental bonding material
- · 1.3 Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

Tel.: +49 (0)800 4372522

- · Informing department: E-Mail: msds@kulzer-dental.com
- · 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
 - Classification according to Regulation (EC) No 1272/2008

Flam. Lig. 2 H225 Highly flammable liquid and vapour.

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- · 2.2 Label elements
 - Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms







GHS02 GHS07 GHS09

- · Signal word Danger
- · Hazard-determining components of labelling:

methyl methacrylate

7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate

diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

tert-butyl perbenzoate

Hazard statements

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

(Contd. on page 2)



Page 2/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.11.2022 Version number 1 Revision: 27.10.2022

Trade name: Signum universal bond II

(Contd. of page 1)

- · 2.3 Other hazards -
 - · Results of PBT and vPvB assessment
 - PBT: Not applicable.
 - vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

Description: Product based on methacrylates

Description 1 reader based on methatry face					
Dangerous components:	Dangerous components:				
EINECS: 201-297-1	methyl methacrylate Flam. Liq. 2, H225 Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	50-75%			
EINECS: 276-957-5 Reg.nr.: 01-2120751202-68-xxxx	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate Aquatic Chronic 2, H411 Skin Sens. 1B, H317 EUH204	25-50%			
EINECS: 278-355-8 Reg.nr.: 01-2119972295-29-xxxx	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide Repr. 2, H361f Aquatic Chronic 2, H411 Skin Sens. 1B, H317	≥2.5-<3%			
EINECS: 210-382-2	tert-butyl perbenzoate Org. Perox. C, H242 Aquatic Acute 1, H400 Acute Tox. 4, H332; Skin Irrit. 2, H315; Skin Sens. 1, H317 Aquatic Chronic 3, H412	≥0.1-<0.25%			

[·] Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
 - After inhalation Supply fresh air; consult doctor in case of symptoms.
 - · After skin contact

Instantly wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor.

· After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

Product based on methacrylates

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

GB



Page 3/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.11.2022 Version number 1 Revision: 27.10.2022

Trade name: Signum universal bond II

(Contd. of page 2)

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
 - · Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water.
 - For safety reasons unsuitable extinguishing agents Water.
- · 5.2 Special hazards arising from the substance or mixture

Can form explosive gas-air mixtures.

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
 - · Protective equipment: No special measures required.
 - Additional information -

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · 6.2 Environmental precautions: Prevent material from reaching sewage system, holes and cellars.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

6.4 Reference to other sections

No dangerous materials are released.

See Section 8 for information on personal protection equipment.

_

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Keep containers tightly sealed.
 - Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
 - Storage
 - Requirements to be met by storerooms and containers:

Dry place, storage temperature <25 ° C

- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Store container in a well ventilated position.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

80-62-6 methyl methacrylate

WEL Short-term value: 416 mg/m³, 100 ppm Long-term value: 208 mg/m³, 50 ppm

· DNELs

80-62-6 methyl methacrylate

Oral general population, long term, systemic 8.2 mg/Kg (not defined)

Worker industrial, long term, systemic general population, long term, systemic 8.2 mg/Kg/d (not defined)

8.2 mg/Kg/d (not defined)

(Contd. on page 4)



Page 4/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.11.2022 Version number 1 Revision: 27.10.2022

Trade name: Signum universal bond II

			(Contd. of page
Inhalative worker industrial, acute,		local	416 mg/m3 (not defined)
	worker industrial, long te	rm, systemic	348.4 mg/m3 (not defined)
	worker industrial, long term, local		208 mg/m3 (not defined)
	general population, acute	e, local	208 mg/m3 (not defined)
	general population, long term, systemic		74.3 mg/m3 (not defined)
72869-86-	4 7,7,9(or 7,9,9)-trimeta bismethacrylate	hyl-4,13-dioxo	o-3,14-dioxa-5,12-diazahexadecane-1,16-diy
Oral	general population, long	term, systemic	0.3 mg/Kg (not defined)
Dermal	worker industrial, long te	rm, systemic	1.3 mg/Kg/d (not defined)
	general population, long	term, systemic	0.7 mg/Kg/d (not defined)
Inhalative	worker industrial, long te	-	3.3 mg/m3 (not defined)
	general population, long	•	- · · · · · · · · · · · · · · · · · · ·
75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide			
Oral	general population, long	term, systemic	0.0833 mg/Kg (not defined)
Dermal	worker industrial, long te	rm, systemic	0.233 mg/Kg/d (not defined)
	general population, long	-	,
Inhalative	worker industrial, long te	. •	0.822 mg/m3 (not defined)
	general population, long		,
· PNI	, .	, ,	,
	ethyl methacrylate		
freshwate	r	0.94 mg/l (not	defined)
marine wa	nter	0.094 mg/l (not defined)	
sewage treatment plant		10 mg/l (not defined)	
sediment,	dry weight, freshwater	10.2 mg/Kg (not defined)	
	dry weight, marine water		
soil, dry w		1.48 mg/Kg (n	,
			o-3,14-dioxa-5,12-diazahexadecane-1,16-diy
freshwate	r	0.01 mg/l (not	defined)
marine wa	nter	0.001 mg/l (not defined)	
sewage treatment plant		3.61 mg/l (not	defined)
sediment, dry weight, freshwater		4.56 mg/Kg (not defined)	
		0.46 mg/Kg (not defined)	
soil, dry w	eight	0.91 mg/Kg (not defined)	
	8 diphenyl(2,4,6-trimeth		,
freshwater		0.0014 mg/l (n	ot defined)
marine water		0.00014 mg/l ((not defined)
l de la companya de		0.115 mg/Kg (
sediment, dry weight, marine water			,
soil, dry w		0.0222 mg/Kg	
•			valid during the compilation were used as basis.

Additional information: The lists that were valid during the compilation were used as basis.

(Contd. on page 5)

^{· 8.2} Exposure controls · Appropriate engineering controls No further data; see item 7.



Page 5/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.11.2022 Version number 1 Revision: 27.10.2022

Trade name: Signum universal bond II

(Contd. of page 4)

· Individual protection measures, such as personal protective equipment

General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

Breathing equipment:

Not neccessary with efficient local exhaust. If exposition to vapours is possible, use breathing protective mask (filter A).

Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

If skin contact cannot be avoided, protective gloves are recommended to avoid possible sensitization.

Solvent resistant gloves

Check protective gloves prior to each use for their proper condition.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR

Nitrile rubber, NBR

- · Eye/face protection Safety glasses
- · Body protection: Light weight protective clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

General Information

· Physical state

· Colour:

· Smell:

Odour threshold:

• Melting point/freezing point:

Boiling point or initial boiling point and

boiling range

· Flammability

· Lower and upper explosion limit

Lower:

· Upper: Flash point:

Ignition temperature:

· Decomposition temperature:

SADT

· pH

Fluid

Colourless Ester-like

Not determined.

Not determined

100 °C

Not applicable.

2.1 Vol %

12.5 Vol %

10 °C (80-62-6 methyl methacrylate)

430.0 °C

Not determined.

Not determined.

(Contd. on page 6)



Page 6/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.11.2022 Version number 1 Revision: 27.10.2022

Trade name: Signum universal bond II

(Contd. of page 5)

· Viscosity:

Kinematic viscosity dvnamic:

Solubility

Water:

Partition coefficient n-octanol/water (log

value) Steam pressure at 20 °C:

Density and/or relative density

 Density at 20 °C Relative density

· Vapour density

No further relevant information available.

Not miscible or difficult to mix

Not determined.

Not determined.

Not determined.

1.000 g/cm3

Not determined.

Not determined.

47 hPa

· 9.2 Other information Appearance:

Fluid Form:

Important information on protection of health and environment, and on safety.

· Self-inflammability: Product is not selfigniting.

Explosive properties: Product is not explosive. However, formation of

Void

explosive air/vapour mixtures is possible.

Change in condition

Evaporation rate Not determined.

· Information with regard to physical hazard classes

Void Explosives · Flammable gases Void · Aerosols Void Oxidising gases Void · Gases under pressure Void Flammable liquids

Highly flammable liquid and vapour. · Flammable solids

· Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void

· Substances and mixtures, which emit flammable gases in contact with water Void · Oxidising liquids Void Oxidising solids Void Organic peroxides Void Corrosive to metals Void · Desensitised explosives Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
 - Conditions to be avoided: No decomposition if used and stored according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 7)



Page 7/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.11.2022 Version number 1 Revision: 27.10.2022

Trade name: Signum universal bond II

(Contd. of page 6)

· 10.6 Hazardous decomposition products: None

· Additional information:

If stored longer than recommended and/or above recommended temperature, product may polymerize generating heat.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

Acute toxicity based on available data, the classification chiefla are not met.					
· LD/LC50 values that are relevant for classification:					
80-62-6 m	80-62-6 methyl methacrylate				
Oral LD50 ~7,900 mg/kg (rat)		~7,900 mg/kg (rat)			
Dermal	LD50	>5,000 mg/kg (guinea pig) (OECD 402)			
Inhalative LC50/4 h 29.8 mg/l (rat)		29.8 mg/l (rat)			
72869-86-	72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diy bismethacrylate				
Oral	LD50	>5,000 mg/kg (rat) (OECD 401)			
Dermal LD50 >2,000 mg/kg (rat) (OECD 402)		>2,000 mg/kg (rat) (OECD 402)			
75980-60-	75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide				
Oral	Oral LD50 >5,000 mg/kg (rat) (OECD 401)				
Dermal	LD50	>2,000 mg/kg (rat) (OECD 402)			
614-45-9 1	614-45-9 tert-butyl perbenzoate				
Oral	LD0	2,000 mg/kg (rat) (OECD 423)			
Dermal	Dermal LD0 2,000 mg/kg (rat) (OECD 402)				
Inhalative	LC0/4h	1.01 mg/L (rat) (OECD 439)			
	LC100/4h	4.9 mg/L (rat) (OECD 439)			

- · Skin corrosion/irritation
- Causes skin irritation.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation

May cause an allergic skin reaction.

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure

May cause respiratory irritation.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
 - · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

80-62-6 methyl methacrylate

EC50/21d 49 mg/L (daphnia) (OECD 211)

(Contd. on page 8)



Page 8/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.11.2022 Version number 1 Revision: 27.10.2022

Trade name: Signum universal bond II

		(Contd. of page 7)			
	EC50/48h	69 mg/l (daphnia) (EPA OTS 797.1300)			
NOEC / 21d 37 mg/l (daphnia) (OECD 211)		37 mg/l (daphnia) (OECD 211)			
	ErC50 / 72 h	>110 mg/l (algae) (OECD 201)			
	NOEC / 72h	110 mg/l (algae) (OECD 201)			
	NOEC / 48h	48 mg/l (daphnia) (EPA OTS 797.1300)			
EbC50 / 72h >110 mg/l (algae) (OECD 201)		>110 mg/l (algae) (OECD 201)			
	NOEC/ 35d 9.4 mg/L (fish) (OECD 210)				
LC50/ 35d 33.7 mg/L (fish) (OECD 210)					
	72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-d				
	b	oismethacrylate			
	EC50/48h	>1.2 mg/l (daphnia) (OECD 202)			
LC50/96h 10.1 mg/l (fish) (OECD 203)		10.1 mg/l (fish) (OECD 203)			
ErC50 / 72 h >0.68 mg/l (algae) (OECD 201)		>0.68 mg/l (algae) (OECD 201)			
NOEC / 72h 0.21 mg/l (algae) (OECD 201)		0.21 mg/l (algae) (OECD 201)			
	75980-60-8 d	75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide			
	EC50/48h	10,100 mg/l (algae)			
		3.53 mg/l (daphnia) (OECD 202)			
	LC50/96h	1.4 mg/l (fish) (OECD 203)			
	ErC50 / 72 h	>2.01 mg/l (algae) (OECD 201)			
	ErC10/72h	1.56 mg/L (algae) (OECD 201)			
	42.2 Develotores and degradability				

· 12.2 Persistence and degradability

80-62-6 methyl methacrylate

Biodegradation 94 % /14d (not defined) (OECD 301C)

72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate

Biodegradation 22 % /28d (not defined) (OECD 301B; ISO/ 9439/ EEC 92/69/V, C.4-C)

75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Biodegradation 0-10 % /28d (not defined) (OECD 301F; ISO 9408/ EEC 92/69/V, C.4-D)

12.3 Bioaccumulative potential

75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Bloconcentration factor (BCF) 47-55 (not defined)

- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
 - · PBT: Not applicable.
 - · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

· 12.7 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

(Contd. on page 9)



Page 9/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.11.2022 Version number 1 Revision: 27.10.2022

Trade name: Signum universal bond II

(Contd. of page 8)

Uncleaned packagings:
 Recommendation:
 Disposal must be made according to official regulations.
 Non contaminated packagings can be used for recycling.

SECTION 14: Transport informa	tion
14.1 UN number or ID number ADR, IMDG, IATA	UN1247
· 14.2 UN proper shipping name · ADR	1247 METHYL METHACRYLATE MONOMER STABILIZED, solution
· IMDG	METHYL METHACRYLATE MONOMER STABILIZED, MARINE POLLUTANT
·IATA	METHYL METHACRYLATE MONOMER STABILIZED
· 14.3 Transport hazard class(es)	
· ADR	
1 1 1 1 1 1 1 1 1 1	
· Class · Label	3 (F1) Flammable liquids. 3
· IMDG	
1 1 1 1 1 1 1 1 1 1	
· Class · Label	3 Flammable liquids. 3
·IATA	
· Class · Label	3 Flammable liquids. 3
· 14.4 Packing group · ADR, IMDG, IATA	II .
14.5 Environmental hazards:	Product contains environmentally hazardou substances: tert-butyl perbenzoate
· Marine pollutant:	No Symbol (fish and tree)
· Special marking (ADR):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Flammable liquids.
	(Contd. on page



Page 10/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.11.2022 Version number 1 Revision: 27.10.2022

Trade name: Signum universal bond II

(Contd. of page 9)

· Kemler Number: 33 · EMS Number: F-E,S-D

· Stowage Category (

Stowage Code SW1 Protected from sources of heat.

SW2 Clear of living quarters.

· 14.7 Maritime transport in bulk according to IMO instruments

MO instruments Not applicable.

· Transport/Additional information:

· ADR

· Limited quantities (LQ) 11

Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging:

30 m

Maximum net quantity per outer packaging:

500 ml

· Transport category 2 · Tunnel restriction code D/E

·IMDG

· Limited quantities (LQ) 1L · Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging:

30 ml

Maximum net quantity per outer packaging:

500 ml

· UN "Model Regulation": UN1247, METHYL METHACRYLATE

MONOMER, STABILIZED, solution, 3, II

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 - Directive 2012/18/EU
 - · Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
 - Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H242 Heating may cause a fire.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H361f Suspected of damaging fertility. H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 11)



Page 11/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.11.2022 Version number 1 Revision: 27.10.2022

Trade name: Signum universal bond II

(Contd. of page 10)

Harmful to aquatic life with long lasting effects.

EUH204 Contains isocyanates. May produce an allergic reaction.

Abbreviations and acronyms:

SADT: Self Accelerating Decomposition Temperature

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Air Transport Association

IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
PVB: very Persistent and very Bioaccumulative

PF1. Persistent, Bioaccumulative and Toxic vevPS: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids — Category 2 Org. Perox. C: Organic peroxides — Type C/D Acute Tox. 4: Acute toxicity — Category 4 Skin Irrit. 2: Skin corrosion/irritation — Category 2 Skin September 1: Skin corrosion/irritation — Category 1

Skin Sens. 1: Skin corrosion/intation — Category 2
Skin Sens. 1: Skin sensitisation — Category 1
Skin Sens. 1B: Skin sensitisation — Category 1B
Repr. 2: Reproductive toxicity — Category 2
STOT SE 3: Specific target organ toxicity (single exposure) — Category 3
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard — Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard — Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard — Category 3

* Data compared to the previous version altered.